
OPERATOR LEVEL 1 INSTRUCTIONS

SOLR[®] 4500
122 CU. IN. BAILOUT BOTTLE
603849-0



WARNING: This document may contain technical data whose export is restricted by the Arms Export Control Act (Title 22, U.S.C., Sec 2751, et seq.) or the Export Administration Act of 1979, as amended, Title 50, U.S.C., App. 2401 et seq. Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25.

DESTRUCTION NOTICE: Destroy by any method that would prevent Disclosure of content or reconstructions of the document.

© COPYRIGHT NOTICE

This SOLR® 4500 122 cu.in. Bailout Bottle technical manual is protected by U.S. and International copyright laws. Reproduction and distribution of the information within this technical manual without written permission from Airborne Systems North America Inc. is prohibited.

RECORD OF CHANGES

Go to <https://airborne-sys.com/riggers-corner/> see if your technical manual is the most current by searching for the manual and reviewing the record of changes page. Some revisions may not require a new manual. Contact your Airborne Systems sales associate for assistance in getting an updated technical manual.

CHANGE NO.	DATE	TITLE OR BRIEF DESCRIPTION	ENTERED BY
Original Issue 1	25 July 2013	SOLR™ 4500 (Special Operations Long Range 4500 PSI) Bailout Bottle Operators Manual 603849-0	Kenneth W. George
Issue 1	10 February 2015	Removed HDT Logo. Removed Special Operations Long Range 3000 and added bottle size to title. Added registered trademark to SOLR®.	Kenneth W. George
Issue 2	25 January 2017	Added level I service procedures, removed warning summary and general safety warning description.	Kenneth W. George
Issue 3	21 November 2018	Created level 1, level 2 and level 3 manuals.	Oliver K. Frazier

INTENTIONALLY BLANK